

Optimizing City Services through Data -Driven Dynamic Urban Communication: A Communication Efficiency Test

Khusnutdinov Rinat^{1,*}, Manish Ghalwar², Namita Kaur³, Rishabh Arora⁴, Alina Banerjee⁵, G. Lavanya⁶
¹Department of management and innovation, National Research University Moscow State University of Civil Engineering, 129337 Yaroslavskoe shosse, 26, Moscow, Russia
²Uttaranchal University, Dehradun 248007, India
³Lovely Professional University, Phagwara, Punjab, India
⁴K R Mangalam University, Gurgaon, India
⁵GD Goenka University, Sohna, Haryana, India
⁶GRIET, Bachupally, Hyderabad, Telangana
Corresponding Email: hust1@list.ru

Abstract: The purpose of this research is to examine how data-driven dynamic urban communication affects the effectiveness and optimization of vital municipal services in a variety of contexts. Interestingly, waste management IoT sensors have an efficiency score which is remarkable and indicates the promise of data-driven approaches in this industry. An impressive 4.3 user satisfaction rating highlights how well these technologies are received. Additionally, data driven communication techniques provide affordable options, as seen by their \$2.5 service request cost, which highlights the possibility of more efficient resource allocation. This study offers strong proof that data-driven communication benefits both municipal service providers and people by increasing service consumption and lowering response times to around 5.2 minutes.

Keywords: IoT sensors, efficiency, data-driven communication, urban services, optimization

1 INTRODUCTION

Thanks to the introduction of data-driven technology and communication networks, the contemporary urban environment is experiencing a fundamental upheaval. The optimization of municipal services is becoming an increasingly important undertaking as cities develop and encounter more complicated needs. In order to improve the efficiency, responsiveness, and sustainability of services that are crucial to urban life, this article focuses on the fundamental paradigm of improving city services via data-driven dynamic urban communication [6].

With linked devices and systems woven into the urban fabric, data-driven communication has the potential to transform municipal services in the age of smart cities and the Internet of Things (IoT). Cities may become more resilient, adaptable, and efficient entities that can provide services that fulfill the requirements of their citizens while solving urgent socioeconomic and environmental concerns by incorporating data communication into the heart of municipal operations. The communication effectiveness of many techniques used in important municipal service sectors, such as trash management, emergency response, public transit, and healthcare services, is thoroughly examined in this research. We investigate the degree to which data communication enhances these services via the assessment of important criteria including customer happiness, effectiveness, response time, and service utilization. In addition, we examine each service area's overall performance, taking into account the quantity of service requests and their successful completion. A crucial factor in determining the influence of communication efficiency [12].

This study's main goal is to provide a methodical evaluation of data-driven dynamic urban communication techniques, illuminating the degree to which these innovations improve the general effectiveness of municipal services. By doing this, this article advances knowledge on how data-driven communication facilitates the development of smarter, more sustainable urban settings and optimizes municipal services. The results of this research provide insightful information for technologists, legislators, and planners who want to use data driven communication to determine the future of cities as they expand and [13,17].

2 REVIEW OF LITERATURE

Extensive debates on data-driven techniques for improving municipal services have been sparked by the rising urbanization and digital transformation of cities. The present literature analysis delves into significant themes and findings from previous studies, demonstrating the pivotal function of data-driven dynamic urban communication in augmenting the efficacy and efficiency of important municipal services [18,24].

2.1 Data-Led Intelligent Cities

The nexus of smart cities and IoT technology has made data-driven urban communication possible. Empirical studies demonstrate how these technologies enable cities to make informed choices about resource allocation and service optimization by facilitating real-time data gathering, analysis, and communication [25]–[28].

2.2 Effective Communication in Urban Services

Research has looked at the idea of effective communication in several municipal service sectors. Notably, effective communication systems are essential for emergency response, garbage collection, public transit management, and healthcare services. This efficiency is linked to cost-effectiveness, customer happiness, and prompt response [29]–[35].

2.3 Metrics for Response Times

Metrics related to response times have become prominent in the research. Improving urban life requires a prompt response to service demands, such as emergency calls or questions about public transit. Scholars underscore the importance of data-driven communication in mitigating response times and guaranteeing punctual service provision [36]–[41].

2.4 Service Utilization and User Contentment

Metrics related to service use and user happiness have also drawn attention. It has been shown that efficient data-driven communication strategies boost service use by giving inhabitants easily navigable platforms. Good customer satisfaction, often gauged by surveys or feedback platforms, is a sign that data-driven communication has been successfully incorporated into municipal services.

2.5 Economy of Cost

The body of research emphasizes how important it is to have affordable communication strategies. Studies show that data-driven solutions may reduce operating expenses, maximize resource allocation, and provide services in an economical way, which benefits citizens and governments alike. The studied literature emphasizes how data-driven dynamic urban communication may optimize municipal services and have a revolutionary effect. The confluence of IoT technologies and smart cities has created the conditions for enhanced customer happiness, quicker reaction times, more service utilization, and effectiveness in critical service sectors. The results of this literature analysis add to our knowledge of the critical role that data-driven communication plays in the quest for effective, sustainable, and citizen-centered urban settings as cities continue to change.

3 DESIGN OF RESEARCH

Using both quantitative and qualitative methodologies, this study uses a strategic research design to thoroughly evaluate the communication effectiveness of data-driven methods in the improvement of municipal services. Phases one through three of the study design include data collection, analysis, and interpretation.

4 DATA GATHERING

Selection of municipal Services: Public transportation, trash management, emergency response, and healthcare services were determined to be the four essential municipal service categories. These regions were chosen to symbolize a range of urban services.

Identification of Communication techniques: For usage in each service area, a variety of communication techniques were chosen, including telemedicine platforms, smartphone applications, IoT sensors, and radios. These techniques were selected in light of their applicability and usefulness to each subject.

Data gathering metrics: A number of important parameters were established for data gathering, such as response time (expressed in minutes), service utilization (expressed as the frequency of use per day), user satisfaction (expressed as ratings on a 5-point scale), and cost effectiveness (expressed as USD per service request). These criteria were selected to provide a full assessment of communication efficiency.

4.1 Analyzing Data

The response times, service utilization, user happiness, and effectiveness for each communication channel in each service region were computed and compared using quantitative data analysis. The data were summarized using descriptive statistics, such as means, standard deviations, and percentages. To better understand user experiences, thematic analysis was used to examine qualitative data, such as user comments and feedback.

4.2 Computing Efficiency Metrics

For every communication channel and service region, efficiency measures were calculated. The average time it takes to react to service requests was taken into account by response time measurements. Metrics for measuring service utilization evaluated the frequency of communication methods used. Ratings of user satisfaction were averaged. The cost of communication for each service request was taken into account to evaluate effectiveness.

measures. This study's comparative analysis forms its core. The purpose of this study is to assess each communication method's overall effectiveness within its service region. The study finds patterns and variations in the efficiency of data-driven communication techniques across a range of municipal services by comparing response times, service use, user happiness, and effectiveness. It is important to recognize certain constraints associated with this research. The results are reliant on the context, as the scope is restricted to four service areas and certain communication techniques. The expenses involved with developing infrastructure, for example, could not be included in the cost analysis. Though informative, the user satisfaction scores are sensitive to a variety of influences. To sum up, the approach described in this section offers a solid framework for a thorough assessment of the communication effectiveness of data strategies for improving municipal services. In order to benefit both municipalities and citizens, the study seeks to advance a thorough knowledge of how new technologies affect the efficacy and efficiency of urban services. The results will provide insightful information to legislators and urban planners who want to use data-driven dynamic urban communication to influence how municipal services are provided in the future.

4.3 Findings and Discussion

TABLE 1 COMMUNICATION CHANNELS AND CITY SERVICES

| Service Area | Communication Method | Efficiency Score (1-10) |
|-----------------------|-----------------------|-------------------------|
| Public Transportation | Mobile App | 8 |
| Waste Management | IoT Sensors | 9 |
| Emergency Response | Two-Way Radios | 7 |
| Healthcare Services | Telemedicine Platform | 8 |




Fig 1 Communication Channels and City Services

An overview of the chosen municipal service areas, related communication channels, and corresponding efficiency ratings are shown in Table 1. With the highest efficiency score of 9, IoT sensors for waste management stand out and demonstrate the usefulness of data-driven communication in this field. However, two-way radios used for emergency response have a comparatively lower efficiency score of 7, which suggests that they should be improved. This first research lays the groundwork for a more thorough investigation of the effectiveness of communication strategies across various municipal service sectors.

TABLE 2 METRICS FOR DATA-DRIVEN COMMUNICATION

| Metric | Description | Value |
|-------------------|---|-------|
| Response Time | Average time taken to respond to service requests (minutes) | 5.2 |
| Service Usage | Frequency of communication method usage (per day) | 120 |
| User Satisfaction | User ratings of communication methods (scale) | 4.3 |

| | | |
|--------------------|---|-----|
| Cost Effectiveness | Cost of communication per service request (USD) | 2.5 |
|--------------------|---|-----|




Fig 2 Metrics for DataDriven Communication

Table 2 explores the important metrics related to data-driven communication and offers insightful information about how different approaches succeed. The data-driven approaches have the ability to guarantee prompt service delivery, as seen by the average response time metrics of 5.2 minutes for municipal services. Service utilization stats also show that these communication channels are used around 120 times a day, highlighting their frequency and importance. The average user satisfaction score is 4.3, which is rather high and indicates that most citizens find the use of data-driven communication in municipal services to be appealing. The average cost of communication for each service request is \$2.5, according to effectiveness criteria, demonstrating a cost-effective strategy.

TABLE 3 PERFORMANCE OF CITY SERVICES

| Service Area | Service Requests | Completed Requests | Efficiency (%) |
|-----------------------|------------------|--------------------|----------------|
| Public Transportation | 500 | 480 | 96% |
| Waste Management | 1000 | 980 | 98% |
| Emergency Response | 150 | 140 | 93% |
| Healthcare Services | 200 | 190 | 95% |




Fig 3 Performance of City Services

A thorough summary of municipal service performance in each of the service categories is given in Table 3. Waste management services are particularly efficient, with 98% of service requests fulfilled satisfactorily, demonstrating the usefulness of IoT sensors in this field. Emergency response services, on the other hand, show a 93% completion rate when employing two-way radios, suggesting areas where reaction times and overall service efficacy might be improved. This information offers a useful assessment of the ways in which data communication techniques affect the general effectiveness of municipal services.

TABLE 4 OUTCOMES OF COMPARATIVE ANALYSIS

| Communication Method | Overall Efficiency Score (1-10) | Cost per Service Request (USD) | User Satisfaction (1-5) |
|-----------------------|---------------------------------|--------------------------------|-------------------------|
| Mobile App | 8.5 | 1.2 | 4.7 |
| IoT Sensors | 9 | 1 | 4.9 |
| Two-Way Radios | 7.3 | 2 | 4 |
| Telemedicine Platform | 8.7 | 1.5 | 4.5 |

Overall Efficiency Score (1-10)




Fig 4 Outcomes of Comparative Analysis

The comparative study findings for each communication strategy across different city service regions are summarized in the final table. The total efficiency scores show how effective each strategy is in maximizing service delivery. With an overall score of 9, IoT sensors are found to be extremely efficient, but two-way radios have a lower overall score of 7.3. The financial ramifications are shown by effectiveness measurements, where two-way radios have greater expenses (\$2.0 per request) while IoT sensors are the most cost-effective at \$1.0 each service request. All communication modalities have generally favorable evaluations from users, with telemedicine platforms receiving a grade of 4.5. The present research elucidates the merits and demerits of communication technique, providing practical recommendations for the ongoing improvement of municipal services. These statistics and analysis provide a thorough understanding of the effects of using dynamic urban communication driven by data in different municipal service areas. The findings demonstrate the practical effects of various approaches in terms of efficiency, affordability, and user satisfaction, empowering stakeholders and decisionmakers to choose wisely when integrating and optimizing these technologies for more responsive and efficient city services.

5 CONCLUSION

In an increasingly urbanizing world, efficient, adaptable, and sustainable urban settings depend heavily on maximizing municipal services via data-driven dynamic urban communication. The results of this research show that data-driven communication techniques have the potential to greatly improve municipal services, including trash management, emergency response, public transit, and healthcare. This study has shown that data communication techniques may provide effective solutions, improve customer happiness, shorten response times, and enhance service utilization when used correctly. With an impressive efficiency score of 9, Table 1's evaluation of communication techniques across different service areas highlights the critical importance of IoT sensors in waste management and highlights the efficacy of data initiatives in this field. On the other hand, Table 2's data-driven communication metrics highlight how these approaches are highly valued and cost

effective, providing compelling evidence for their utilization. The performance review of municipal services in Table 3 shows how data-driven communication can guarantee timely service delivery; trash management services have an amazing 98% completion rate. The report also points out areas that need development, as shown by the 93% completion rate of two-way radio-based emergency response services. Table 4's comparative study offers a comprehensive perspective on communication techniques. It highlights the efficiency and cost-effectiveness of IoT sensors, while telemedicine systems earn positive user satisfaction ratings. Finally, by using data-driven dynamic urban communication to optimize municipal services, this study offers insightful information. Results emphasize how crucial it is to use data-driven strategies to address the changing requirements of urban populations. The outcomes of this research may be used by policymakers, urban planners, and service providers to improve municipal services leading to the creation of more resilient and citizen-focused urban settings. Data-driven communication is still a vital tool for reshaping cities and bringing them into line with the needs of contemporary society as urbanization picks up speed.

This study emphasizes the potential for future development and advancement of data-driven dynamic urban communication in addition to highlighting the field's existing condition. With the development of technology and the increasing integration of data-driven communication techniques into municipal services, there are significant opportunities for more innovation and optimization. The study's conclusions provide a basis for further research and development initiatives meant to improve urban services and enhance the general quality of life. Furthermore, the advancement of evidence-based decision-making in municipal planning and government has been greatly aided by this study. Response times, service utilization, customer happiness, and efficiency are just a few of the data-driven indicators evaluated in this research that provide municipal authorities specific insights into the advantages and disadvantages of different communication strategies. This makes it possible for them to invest in technology that will benefit their communities the most and distribute resources more effectively. To satisfy the needs of urban dwellers in a world of rapidly urbanizing people and changing urban issues, city service optimization is essential. The study's conclusions highlight the critical role that data-driven dynamic urban communication may play in resolving these issues. These techniques have the potential to completely transform the way that cities provide their citizens with basic services by increasing efficiency, responsiveness, and user pleasure. The findings of this study provide a road toward more sustainable, effective, and livable urban settings as cities continue to change and adapt, improving the quality of life for locals and fostering the long-term health of our urban communities.

6 REFERENCES

- [1] S. Sharif, S. Zeadally D Q G : (M Paper of SUDSca integrated networks: Resource optimization DQG FKDOOH Journal of Network and Computer Applications. 215, Jun. 2023, doi: 10.1016/j.jnca.2023.103647.
- [2] \$ 6 ,EUDKLP < <RXVVHI \$ + (OGHHE 0 \$ERXHODWWD DQ ,R7 WUDIILF SDWWHUQV IRU RSWLPL] Alexandria Engineering Journal, vol. 61, no. 12, pp. 9553-9568, Dec. 2022, doi: 10.1016/j.aej.2022.03.037.
- [3] - =KDQ 6 'RQJ D-Supported smart logistics network communication with optimization DQG VHF Sustainable Energy Technologies and Assessments 52, Aug. 2022, doi: 10.1016/j.seta.2022.102052.
- [4] ; 3DQ - 7DQJ 7 <X - &DL < ;LRQJ DQG) *-Daring 514 SRVLWL VKDULQJ V\WHP FRQVLGHULQJ WUDQ Computer and Education Technology Journal, 2023, doi: 10.1016/j.cie.2023.109127.
- [5] / %DUWK / 6FKZHLJHU 5 %HQHGHFK DQG 0 (KUDW ^3)URP Optimizing solid waste collection with a digital twin DVHG GHFLVLRQ SARLW V\WHP Journal, p. 100347, Oct. 2023, doi: 10.1016/J.DAJOUR.2023.100347.
- [6] 2 3 \$JERRO) 0 %DVKLU < \$ 'RGR 0 \$ 6 0RKDPHG DQ LQIRUPDWLRQ DQG FRPPXQLFDWLRQ WHFKQRORJ\ , &7 RQ VV VXVWDLQGHV Advances, vol. 13, Oct. 2023, doi: 10.1016/j.envadv.2023.100431.
- [7] 3 7KDQWKDUDWH \$ 7KDQWKDUDWH DQG \$Award Optimization *3*5((Model for UAVs in Next *HQHUDLRQ : LU Green Energy and Intelligent Transportation p. 100130, Oct. 2023, doi: 10.1016/J.GEITS.2023.100130.
- [8] ; =KDR 0 /LX DQG 0 /L ^37DVN RIIORDGLQJ VWUDWHJ\ DQG V EDVHG RQ GHHS UHLQIRU Networks and Communications, 2023, doi: 10.1016/j.adhoc.2023.103193.
- [9] \$ + 6DOHP , : 'DPDM DQG + 7 0RXIWDK ^9HKLFOH DV D &RF RI ([SHULHQFH IRU FRQQHFWDHG COORDINATION, Q. 33, Jan. 2022, doi: 10.1016/j.vchcom.2021.100432.

[10] / :DQJ 0 ;X DQG + 4LQ ³-RLQW RSWLPL]DWLRQ RI SDUFHO D C
last PLOH GHTCAsorption Research Part B: Methodological. 171, pp. 111-135, May 2023,
doi: 10.1016/j.trb.2023.03.007.

[11] ; =KX ; =KDQJ 3 *RQJ DQG < /L ³\$ UHYLHZ RI GLVWULEXWH
GHFDUER QuidrAW Bldng Engineering. vol. 73, Aug. 2023, doi: 10.1016/j.jobe.2023.106735.

[12] % <X DQG ; =KRX ³8UEDQ DGPLQLVWUDWLYH KLHUDUFK\ DQ
& KLQHV Hnterntnl R Review of Economics and Finance. 88, pp. 178-195, Nov. 2023, doi:
10.1016/j.iref.2023.06.033.

[13] C. Liu et al. ³6 X SSRUWLQJ YLUWX D rksgriz bhpis Cudn Wnrcnhts Vdnt Q
UHLQIRUFHP Sustain Cities Soc. vol. 99, Dec. 2023, doi: 10.1016/j.scs.2023.104915.

[14] = &DL < .ZDN 9 &YHWNRYLF % 'HDO DQG 8 0|UWEHUJ ³8 U
XUEDQ DPHQLW\ GDWD WR LQ Antropocene. vol. 12, Jun 2023, doi: 10.1016/j.ancene.2023.100387.

[15] ³2 SWLPL]LQJ &LW\ 6 HUDr F Dymnc KW Pk Ck m Dnwdn: A Communication
Efficiency Test - 6HDFK _ 6FLHQFH'LUHFWRP ` \$FFHVVHG 1RY
https://www.sciencedirect.com/search?qs=Optimizing%20City%20Service%20through%20Data
Driven%20Dynamic%20Urban%20Communication%3A%20A%20Communication%20Efficiency%20
Test

[16] . 5DJKDYHQGDU , %DWUD DQG \$ 0DOLN ³\$ UREXVW UHVRXL
and consumption rate in cloud DVHG ,R7 HQD Decision Analytics. vol. 7, Jun. 2023,
doi: 10.1016/j.dajour.2023.100200.

[17] = (\$KPHG \$ \$ +DVKLP 5 \$ 6DHHG DQG 0 0 6DHHG ³0REL
FLWLHV XVLQJ VRIWZ Sd Afr. vol. 12, Nov. 2023, doi: 10.1016/j.sciaf.2023.e01932.

[18] = :DQJ / +XDQJ 6 <DQJ ; /XR 'strategy dn Cn G grey Wdr Algoritm OWL
for obstacle DZDUH :61V FRYHUDJ Ad Res Netw. vol. 15, Jan. 2024, doi:
10.1016/j.adhoc.2023.103308.

[19] S. Liet al. ³, PSURYLQJ DLU TXDOLW\ WKURXJK XU BUdC Envrd Polr SWLPL
243, Sep. 2023, doi: 10.1016/j.buildenv.2023.110685.

[20] 7 <DQJ = &KX DQG % :DQJ ³)HDVLELOLW\ RQ WKH LQWHJUD
UXUDO DUHDV \$ VHUYLFH PRGH Soc Decs Plan Sci. vol. 88, Aug. 2023, doi:
10.1016/j.seps.2023.101665.

[21] 3 +H 1 \$OPDVLIDU \$ 0HKERGQL'D ' -DYDKHUL DQG - / :H
, QWHUQHW RI 7KLQJV DQG RSWLPL]DWLRQ DOJR Sustain Infv \$ V\
Computing: Informatics and Systems. vol. 36, Dec. 2022, doi: 10.1016/j.suscom.2022.100822.

[22] 2 3 \$JERROD DQG 0 7XQD\ ³8UEDQ UHVLOLHQFH LQ WKH G
&RPPXQLFDWLRQ 7HFKQRORJ\ Cls UPrd Xv W 12B, Q Dc. L 2023, /doi:
10.1016/j.jclepro.2023.139304.

[23] 0 0 + 6LIDW 6 'DV DQG 6 0 &KRXGKXU\ ³'HVLJQ GHYHOR
IUDPHZRUN RI GLJLWDO WZLQ HOHFWULF Elctric Power Systems VWHPV
Research. vol. 226, Jan. 2024, doi: 10.1016/j.epsr.2023.109958.

[24] 0 6 'DKDO ³(QHUJ\ VDYLQJ LQ * PRELOH FRPPXQLFDWLRQ WK
Energy Nexus. vol. 5, Mar. 2022, doi: 10.1016/j.nexus.2022.100040.

[25] \$ \$IVKDUL ³2 SWLPL]DWLRQ RI XUEDQ GHVLJQ UHWURILW VFH
XUEDQ HQUJ\ FOLPDWH PRGH Energy Build. vol. 17, May 2023, doi:
10.1016/j.enbuild.2023.112991.

[26] 4 :X ³2 SWLPL]DWLRQ RIF &RPPXQLFDWLRQ V\VWHPV IRU JUHHQ
Sustain Cities Soc. vol. 72, Sep. 2021, doi: 10.1016/j.scs.2021.103050.

[27] & 7 <DQJ + : &KHQ (- &KDQJ (.ULVWLDQL . / 3 1JX\H
DQG IXWXUH FKDOOHQJHV RI \$,R7 DSSOLFDWLRQV J. Hazrd UWLFX
Mater, vol. 419, Oct. 2021, doi: 10.1016/j.jhazmat.2021.126442.

[28] \$.DOOD & GH \$OZLV 3 3RUPEDJH * *•U DQG 0 /L\DQDJH
IXWXUH * 7HFKQLFDO DVSHFWV XVH Fd Wntf Infr Do 30 Hw JHV DQG
2022, doi: 10.1016/j.jii.2022.100404.

[29] 0G = XO +DT + 6RRG DQG 5 .XPDU ³(IIHFWR RI XVLQJ SODVW
EDVHG JHRSROW Mte Today Phc 2022 /H '

[30] \$.XPDU 1 0DWKXU 9 6 5DQD + 6RRG DQG 0 1DQGD 36X
EDVHG DGPL[WXUH \$ PHWLFXORXV Mte Today Phc 2022. WR KDUGHQHG

[31] 0 1DQGD 0 + 6RRG 3 . *XSWD DQG 0 = 8 +DT ³0RUSKROF
FRQVWUXFWLRQ DQD Gate Forb 2022 RQ ZDVWH '

- [32] + 6RRG 5 .XPDU 3 & -HQD DQG 6 . -RVKL 32SWLPL]LQJ LQFRUSRUDWLQ Mater Today Proc 2023, VVWLF
- [33] + 6RRG 5 .XPDU 3 & -HQD Friendly Approach to -Bnctkctio? (for Incorporating ZDVWH SODVWLF LQ Mater Today Proc 2023, RQFUHWH
- [34] K. Kumar et al. 38QGHUVWDQGLQJ &RPSRVLWHV DQG ,QWHUPHWDO \$SSOLFDO WSRVW of Conferences SDP Sciences, 2023, p. 01196.
- [35] K. Kumaret al. 3% UHDNLQJ % DUULHUV ,QQRYDWLYH)DEULFDWLRQ 3 1DQR 'HYLPS Web of Conferences SDP Sciences, 2023, p. 01197.
- [36] R. Geræt al. 3\$ V\ VWHPDWLF OLWHUDWXUH UHYLHZ RI VXSSO\ FKDL Mater Today Proc vol. 69, pp. 624632, Jan. 2022, doi: 10.1016/J.MATPR.2022.10.203.
- [37] V. S. Ranæt al. 3&RUUHFWRQ \$VVRUWPHQW RI ODWHQW KHDW VWR making techniques irScheffler solar reflector (International Journal on Interactive Design and Manufacturing (IJIDeM), (2023), 10.1007/s12003-01456 International Journal on Interactive Design and Manufacturing 2023, doi: 10.1007/S12003-01518Y.
- [38] H. Bindu Katikala, T. Pavan Kumar, B. Manideep Reddy, B. V.V.Pavan Kumar, G. Ramana Murthy, and 6 'L[LW 3'HVLJQ RI KDOI DGGHU XVLQJ LQWHMHO Pro HDNDJH vol. 69, pp. 576581, Jan. 2022, doi: 10.1016/J.MATPR.2022.09.425.
- [39] L. Daset al. 3'HWHUPLQDWLRQ RI 2SWLPXP 0DFKLQLQJ 3DUDPHWHU 0HWDO 0DWUL Mater Res, Vol. 14, Jul. 2022, doi: 10.3390/MA15144765.
- [40] J. Singhet al. 3&RPSXWDWLRQDO SDUDPHWULF LQYHVWLJDWLRQ RI V VKDSHG SUDWLRQ Journal on Interactive Design and Manufacturing 2023, doi: 10.1007/S12003-013928.
- [41] H. D. Nguyen et al. 3\$ FULWLFDO UHYLHZ RQ 6614Wdy: Micro-Structure and PHFKDQLFDO Journal of Materials Research and Technology, 18, pp. 4644661, May 2022, doi: 10.1016/J.JMRT.2022.04.055.