

actives from different mode of action fungicide groups. It has three weeks long-lasting control against CERCBE. Florylpicoxamid can be good candidate for providing a new alternative for the management of CLS disease of sugar beet crop, caused by *Cercospora beticola*.

References

1. P. Saccardo, *Funghi Veneti novi vel critici*. Series V. *Nuovo Giornale Botanico Italiano*. **8**. 161–211. (1876)
2. E. G. Ruppel, *Foliar diseases caused by fungi*. In *Compendium of Beet Diseases and Insects* (eds. Whitney, E. D., Duffus, J. E.), APS Press, St Paul, Minnesota, 8-9. (1986)
3. R. T. Lartey, J. Weiland, L. Panella, P. Crous, C. Windels, *Cercospora leaf spot of sugar beet and related species*. St. Paul, MN, USA: American Phytopathological Society. **296**. (2010)
4. J. Kimmel, *A Cercospora beticola fungicid rezisztenciája*. *Cukoripar*. **56**. 2. 67-70. (2003)
5. FRAC, www.FRAC.info (2024)
6. C. Giannopolitis, *Occurrence of strains of Cercospora beticola resistant to triphenyltin fungicides in Greece*. *Plant Dis. Rep.*, **62**. 205–208. (1978)
7. G. A. Secor, V.V. Rivera, M. N. C. Khan, Gudmestad, *Monitoring fungicide sensitivity of Cercospora beticola of sugarbeet for disease management decisions*. *PlantDisease*. **94**.1272–1282. (2010)
8. S. Georgopoulos, C.Dovas, *A serious outbreak of strains of Cercospora beticola resistant to benzimidazole fungicides in Northern Greece*. *Plant Dis. Rep.*, **5**, 321–324. (1973)
9. E. Ruppel, P. Scott, *Strains of Cercospora beticola resistant to benomyl in the USA*. *Plant Dis. Rep.*, **58**, 434–436. (1974)
10. H. Dafang, W. X. Z. Shuzhi, *Studies on resistance of Cercospora beticola to benzimidazole fungicides*. *J. Plant Protect.*, **2**. 11. (1982)
11. V. Pal, A. Mukhopadhyay, *Occurrence of strains of Cercospora beticola resistance to carbendazim (MBC) in India*. *Ind. J. Mycol. Plant Pathol.*, **13**. 333–334. (1983)
12. M. Brown, C. Waller, C. Charlet, R. Palmieri, *The use of flutriafol based fungicides for the control of sugar beet diseases in Europe*. Presented at the 1986 British Crop Protection Conference Pests and Diseases, **3**. 1055–1061. (1986)
13. G. Karaoglanidis, P. Ioannidis, C. Thanassouloupoulos, *Influence of fungicide spray schedules on the sensitivity of Cercospora beticola to the sterol demethylation-inhibiting fungicide flutriafol*. *Crop Protect.*, **20**. 941 – 947. (2001)
14. C. Trueman, L. Hanson, P. Somohano, N. Rosenzweig, *First report of DMI - insensitive Cercospora beticola on sugar beet in Ontario, Canada*. *New Dis. Rep.*, **36**. 20 (2017)
15. G. Karaoglanidis, P. Ioannidis, *Fungicide resistance of Cercospora beticola in Europe*. In: Lartey R., Weiland J., Panella L., Crous P., Windels C. (Eds.) (2010): *Cercospora leaf spot of sugar beet and related species*. St. Paul, MN, USA: American Phytopathological Society. 189–211. (2010)
16. D. Fernández - Ortuño, J. A. Torés, A. De Vicente, A. Pérez - García, *Mechanisms of resistance to QoI fungicides in phytopathogenic fungi*. *Int. Microbiol.*, **11**. 1-9. (2008)

17. K. Birla, V. V. Rivera, G. A. Secor, M. F. Khan, M. D. Bolton, Characterization of cytochrome b from European field isolates of *Cercospora beticola* with quinone outside inhibitor resistance. *Europ. J. Plant Pathol.* **34**: 475–488. (2012)
18. M. Kayamori, M. Shimizu, T. Yamana, T. Komatsu, S. Minako, A. Shinmura, et al., First report of QoI resistance in *Cercospora beticola* in sugar beet in Japan. *J. General Plant Pathol.* **86**. 149–153. (2020)
19. Ch. Yao, K. G. Meyer, C. Gallup, A. J. Bowling, A. Hufnagl, K. Myung, J. Lutz, T. Slanec, H. E. Pence, J. Delgado, N. X. Wang, Florylpicoxamid, a new picolinamide fungicide with broad spectrum activity. *Pest Manag. Sci.*
<https://doi.org/10.1002/ps.6483> (2021)
20. K. G. Meyer, Ch. Yao, Y. Lu, K. Bravo-Altamirano, Z. Buchan, J. F. Daeuble, K. DeKorver, J. DeLorbe, R. Heemstra, J. Herrick, D. Jones, B. A. Loy, J. Rigoli, N. X. Wang, J. Wilmot, D. Young, Chapter 28 – The discovery of florylpicoxamid, a new picolinamide for disease control. *Recent Highlights in the Discovery and Optimization of Crop Protection Products.* 433-442. (2021)
<https://www.cabidigitallibrary.org/doi/pdf/10.5555/20193089498>
21. W. J. Owen, Ch. Yao, K. Myung, G. Kemmit, A. Leader, K. G. Meyer, A. J. Bowling, T. Slanec, V. Kramer, Biological characterization of fenpicoxamid, a new fungicide with utility in cereals and other crops. *Pest Manag. Sci.*, **73**(10)
<https://doi.org/10.1002/ps.4588> (2017)
22. PPDB: Pesticide Properties DataBase, 2024. University of Hertfordshire.
<https://sitem.herts.ac.uk/aeru/ppdb/en/Reports/3191.htm>
23. G. J. Gustafson, J. Delgado, A. Biro, C. Gallup, Use of a difluoro-(2-Hydroxyprpyl) pyridine compound as a fungicide for control of leaf spot of sugar beets. (2021)
https://worldwide.espacenet.com/publicationDetails/biblio?DB=EPODOC&II=6&ND=3&adjacent=true&locale=en_EP&FT=D&date=20210909&CC=US&NR=2021274787A1&KC=A1
24. C. Gallup, Y-H. Huang, A. Biró, Ch. Yao, K. G. Meyer, L. C. V. Da Cunha, M. Fairfax, B. Husband, J. Richburg, M. Martin, Use of acyclic picolinamide compound as a fungicide for control of phytopathogenic fungi in row crops. (2020)
https://worldwide.espacenet.com/publicationDetails/biblio?FT=D&date=20231213&DB=EPODOC&locale=en_EP&CC=UA&NR=127713C2&KC=C2&ND=4
25. EPPO Global Database, *C.beticola*(CERCBE)<https://gd.eppo.int/taxon/CERCBE> (2024)
26. EPPO Database on PP1 Standards. <https://pp1.eppo.int/standards> (2024)
27. U. Meier (Edited), BBCH Monograph. Julius Kühn-Institute (JKI), Quedlinburg (2018)
28. P. F. Wolf, J. A. Verreet, The IPM sugar beet model—an integrated pest management system in Germany for the control of fungal leaf diseases in sugar beet. *Plant Dis.* **86**. 336-344. (2002)
29. W. S. Abbott, A method of computing the effectiveness of an insecticide. *J. Econ. Entomol.* **18**: 265-267. (1925)